

elmeg CS410 | CS410-U

ISDN System telephony for the professional user

CS410 | CS410-U

The system telephone that fulfills your every wish: Optimally matched to the modular elmeg PABX systems, the elmeg CS410 / CS410-U offers you a variety of professional functions, and its modular architecture lets you expand its performance at any time: An optional Answering machine module also provides up to 48 minutes recording time and can be quickly and easily integrated into your telephone.



Professional PC ports: Easy installation via USB provides you with CTI functions and Internet access, as well as data communications, for example for configuring the PABX system. Jacks for audio-in/audio-out permit easy configuration and use of announcements, ringing tones, intercom calls or editing of calls at your PC***; and, together with the answering machine module, saving of messages or importing of voice announcements. All audio functions can also be activated individually.

You can cascade up to three T400 key expansion modules* to the elmeg CS410 – giving you up to a total of 65 programmable function keys, for example with 130 directly accessible direct dial numbers.



More convenient functions for the internal telephone directory: Your personal memory can hold up to 250 entries with name and additional individual contact information. You can freely edit this information and have it displayed for incoming calls. The elmeg CS410 also provides alphanumeric access to the central PABX system telephone directory, with up to 1000 entries.

Optimum support of different models of headsets* for all your needs: A separate jack and extensive, individually configurable functions make calling fun. Support of special functions such as direct control of cordless DECT headsets (without mechanical hook switch), or control of the LED busy signal indicator (e.g. with Plantronics "Firefly", or Silicomp "Orbit NC") is provided straight from the factory.

Greatest user convenience is guaranteed by the 7-line illuminated graphic display, 7 softkeys for user prompting and 5 freely programmable function keys (2 levels) with two-color LEDs.

As the elmeg CS410-U variant, the elmeg CS410 is well-suited for direct Up0 connection without converters, including an S0 output for further ISDN terminal devices (with elmeg CS410 using optional plug-in module or wall-mounted converter).

Up0-S0 converter module (external)

*)optional

**)requires sound card

***)simultaneous use of cordless headsets with DSHG interface and Answering machine module, only possible with the elmeg CS410-U.



Features CS410

Freely programmable function buttons, e.g.

- o Direct dial-in button (call number, DTMF, keypad)
- o MSN assignment (temporary)
- o User button (fixed setting)
- o Carrier assignment button
- o Call rerouting key
- o Call filter
- o Extension key (internal)
- o Line key (external)
- o Trunk group button (external)
- o Voice Mail key
- o Extension key AM
- o Day/night mode button
- o Team log-on/off button
- o Macro buttons
- o Intercom button
- o Message button
- o ...and further function keys

Jacks for

- o USB, Audio-In, Audio-Out, Head-set, elmeg T400

Accessories

Answering machine module

- o Up to 48 minutes recording time
- o Up to 10 announcement texts

Standard texts on the CD can be stored to the telephone via the Audio-in jack

- o Listen, Edit
- o Notification (with voice an-nouncement, UUS1, SMS)
- o Time-control for voice an-nouncements
- o Remote polling
- o Saving of messages on the PC via output to the Audio-out jack

UP0/S0-module (converter)

o The existing Up0 jack is used as an input, the S0 jack as an output for connecting other S0 terminal devices.

Note:

You can use both these modules at the same time!

Additional elmeg T400 keyboard (3-fold cascading)

- o 20 programmable function keys (2 levels), 20 uni-color LEDs for level 1
- o 2 additional status LEDs

Plug-in power supply unit

- o required for the 2nd and 3rd elmeg T400

Scope of supply

- o elmeg CS410 incl. Handset
- o ISDN cable, 6m
- o USB cable, 3m
- o Audio cable, 3m
- o Product-CD (elmeg WIN-Tools, USB-, TAPI-, CAPI-, NDIS-WAN-driver, operating instructions as pdf-files, default announcements as WAV-files)
- o operating instruction
- o Label panels

Colours

elmeg CS410 and elmeg T400 are available in the colors black-blue and ice.

Philosophy

Optimised to work with the modular elmeg pabx systems, the elmeg CS410 offers many comfortable and easy to use functions. Ideal for use as a central exchange phone, for team functions, for boss/secretary's office, in call centers or as reception desk tele-phones in hotels. The phone's building block concept allows you to mix and match to meet your individual needs.

Features CS410-U

Freely programmable function buttons, e.g.

- o Direct dialin button (call number, DTMF, keypad)
- o MSN assignment (temporary)
- o User button (fixed setting)
- o Carrier assignment button
- o Call rerouting key
- o Call filter
- o Extension key (internal)
- o Line key (external)
- o Trunk group button (external)
- o Voice Mail key
- o Extension key AM
- o Day/night mode button
- o Team log-on/off button
- o Macro buttons
- o Intercom button
- o Message button
- o ... and further function keys

Jacks for

- o USB, Audio-In, Audio-Out, Head-set, elmeg T400
- Connection to elmeg PABX-systems using Up0-ports
The Up0 jack is used as an input, the S0 jack as an out-put for connecting other S0 terminal devices.

Accessories

Answering machine module

- o Up to 48 minutes recording time
- o Up to 10 announcement texts
- o Standard texts on the CD can be stored to the telephone via the Audio-in jack
- o Listen, Edit
- o Notification (with voice an-nouncement, UUS1, SMS)
- o Time-control for voice an-nouncements
- o Remote polling
- o Saving of messages on the PC via output to the Audio-out jack

Additional elmeg T400 keyboard (3-fold cascading)

- o 20 programmable function keys (2 levels), 20 uni-color LEDs for level 1
- o 2 additional status LEDs

Plug-in power supply unit

- o required for the 2nd and 3rd elmeg T400

Scope of supply

- o elmeg CS410-U incl. Handset
- o ISDN cable, 6m
- o USB cable, 3m
- o Audio cable, 3m
- o Product-CD (elmeg WIN-Tools, USB-, TAPI-, CAPI-, NDIS-WAN-driver, operating instructions as

pdf-files, default announcements as WAV-files)

- o operating instruction
- o Label panels

Colours

elmeg CS410-U and elmeg T400 are available in the colors black-blue and ice gray.

Philosophy

Optimised to work with the modular elmeg pabx systems equipped with Up0-ports, the elmeg CS410-U offers many comfortable and easy to use functions. Ideal for use as a central exchange phone, for team functions, for boss/secretary's office, in call cen-ters or as reception desk telephones in hotels. The phone's building block concept allows you to mix and match to meet your individual needs.